





Big Block Spacer Elements

for big block clamps no. 10661

Adjustable Vertical Clamps



10662

ADJUSTABLE VERTICAL CLAMPS

Material

Aluminium.

Technical Notes

Base and spacer elements. For use with big block clamping system (part no. 10661).

Order No.	Type	h_1	l_1	l_2	l_3	l_4	l_5	w_1
10662.W0040	Base	55	162	-	-	25	25	75
10662.W0045	Spacer	55	162	25	25	-	-	75
10662.W0050	Spacer	110	162	25	25	-	-	75
10662.W0055	Spacer	330	162	25	25	-	-	75



A Wide Range of Clamps to Match any Requirement

CLAMPING FORCE
**UPTO
50000
NEWTONS**

10650 All machining operations




10655 Light machining



10658 Electrical discharge machining




10660 Clamping and lifting



10661 Heavy machining




10670 Repetitive machining



10675 Heavy machining



10678 Press Tool Clamping



ADJUSTABLE VERTICAL CLAMPS




Monobloc Clamps

stackable vertical clamping




Clamping & Height Setting




Slide the T-nut into the T-slot position and tighten the clamp onto the T-slot base, with the aid of the clamp key (shown in the image in blue).

Clamp the workpiece by twisting the key. Start machining.




Fix to threaded bases with a special screw M10, M12, M14, M16.



Fix to T-slots with suitable T-nuts.

When unclamped the arm and the clamp remain in position



The clamps are easily stackable to achieve required clamping height.

ADJUSTABLE VERTICAL CLAMPS

ov-W10650-A-T-stackable-clamps-rmh - Updated - 20-10-2022